

1 Identification of substance

· **Product details**

· **Trade name:** 68442 Mini-Max Clear Fast Set Adhesive

· **Article number:** 68442

· **Manufacturer/Supplier:**

SEM Products Inc.
651 Michael Wylie Dr.
Charlotte, NC 28217
(704)522-1006

· **Information department:**

labsupport@sem.ws : SEM Products 651 Michael Wylie Dr. Charlotte, NC 28217 : phone 1-704-522-1006, M - TH 7am - 4pm EDT








· **Emergency information:** 24 HR EMERGENCY CHEMTREC 1-800-424-9300

2 Composition/Data on components

· **Chemical characterization**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

	POLYAMINE POLYMERCAPTAN EPOXY HARDENER Danger:  3.1.D/3, 3.1.I/4;  3.2/1B	25-50%
28064-14-4	BISPHENOL F EPOXY RESIN Warning:  3.2/2, 3.3/2A, 3.4.S/1, 3.8/3	25-50%
25085-99-8	BISPHENOL A EPOXY RESIN Warning:  3.2/2, 3.3/2A, 3.4.S/1, 3.8/3	10-25%
	TERTIARY AMINE Danger:  3.1.O/3, 3.1.I/4, 3.4.S/1, 3.8/3;  3.2/1B Warning: 2.6/4	1-2.5%
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane Danger:  3.1.O/2, 3.1.D/3, 3.1.I/3, 3.2/2, 3.3/2A, 3.8/3	≤1%

3 Hazards identification

· **Hazard description:**



Corrosive

· **Information pertaining to particular dangers for man and environment:**

The product has to be labelled due to the calculation procedure of international guidelines.

Harmful by inhalation and in contact with skin.

Causes burns.

Irritating to respiratory system.

May cause sensitisation by skin contact.

· **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

(Contd. on page 2)

Trade name: 68442 Mini-Max Clear Fast Set Adhesive

(Contd. of page 1)

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 1

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 2

Fire = 1

Reactivity = 0

· **GHS label elements**



Danger

3.2/1B - Causes severe skin burns and eye damage.



Warning

3.1/4 - Harmful in contact with skin.

3.1/4 - Harmful if inhaled.

3.4/1 - May cause an allergic skin reaction.

3.8/3 - May cause respiratory irritation.

· **Prevention:**

Do not breathe dust/fume/gas/mist/vapours/spray.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

· **Response:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of soap and water.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Call a POISON CENTER or doctor/physician if you feel unwell.

Specific treatment (see label).

Specific measures (see label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

· **Storage:**

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

· **Disposal:**

Dispose of contents/container in accordance with local/regional/national/international regulations.

USA

(Contd. on page 3)

Trade name: 68442 Mini-Max Clear Fast Set Adhesive

(Contd. of page 2)

4 First aid measures

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.

5 Fire fighting measures

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

· **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.

· **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.

· **Measures for cleaning/collecting:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

7 Handling and storage

· **Handling:**

· **Information for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** No special measures required.

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

8 Exposure controls and personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Trade name: 68442 Mini-Max Clear Fast Set Adhesive

(Contd. of page 3)

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **General Information**

Form: Liquid
Color: According to product specification
Odor: Characteristic

· **Change in condition**

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.

· **Flash point:** 257°C (495°F)

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.
In use, may form flammable/explosive vapour-air mixture.

· **Density at 20°C (68°F):** 1.15 g/cm³

(Contd. on page 5)

Printing date 01/31/2008

Reviewed on 01/31/2008

Trade name: 68442 Mini-Max Clear Fast Set Adhesive

(Contd. of page 4)

- | | |
|--|-----------------------------------|
| · Solubility in / Miscibility with Water: | Not miscible or difficult to mix. |
| · Solvent content: | |
| Organic solvents: | 0.0 % |
| VOC content: | g/l / 0.00 lb/gl |
| · Solids content: | 100.0 % |

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous products of decomposition:** No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Corrosive
Irritant
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.

13 Disposal considerations

- **Product:**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

—USA—

(Contd. on page 6)

Trade name: 68442 Mini-Max Clear Fast Set Adhesive

(Contd. of page 5)

14 Transport information

· DOT regulations:



- **Hazard class:** 8
- **Identification number:** UN1760
- **Packing group:** III
- **Proper shipping name (technical name):** CORROSIVE LIQUID, N.O.S. (POLYAMINE POLYMERCAPTAN EPOXY HARDENER, 3-aminopropyltriethoxysilane)
- **Label:** 8
- **Remarks:** ORM-D 49CFR § 173.154 b) Limited Quantities of Class 8

· Land transport TDG (Canada) and ADR/RID (Europe):



- **Hazard class:** 8 Corrosive substances
- **UN-Number:** 1760
- **Packaging group:** III
- **Label:** 8
- **Description of goods:** 1760 CORROSIVE LIQUID, N.O.S. (POLYAMINE POLYMERCAPTAN EPOXY HARDENER, 3-aminopropyltriethoxysilane)

· Maritime transport IMDG:



- **IMDG Class:** 8
- **UN Number:** 1760
- **Label:** 8
- **Packaging group:** III
- **EMS Number:** F-A,S-B
- **Marine pollutant:** No
- **Proper shipping name:** CORROSIVE LIQUID, N.O.S. (POLYAMINE POLYMERCAPTAN EPOXY HARDENER, 3-aminopropyltriethoxysilane)

· Air transport ICAO-TI and IATA-DGR:



- **ICAO/IATA Class:** 8
- **UN/ID Number:** 1760
- **Label:** 8

(Contd. on page 7)



Printing date 01/31/2008

Reviewed on 01/31/2008

Trade name: 68442 Mini-Max Clear Fast Set Adhesive

(Contd. of page 6)

- | | |
|--|---|
| · Packaging group: | III |
| · Propper shipping name: | CORROSIVE LIQUID, N.O.S. (POLYAMINE POLYMERCAPTAN EPOXY HARDENER, 3-aminopropyltriethoxysilane) |
| · UN "Model Regulation": UN1760; CORROSIVE LIQUID, N.O.S.; 8; III | |

15 Regulations

· Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**

67-56-1 methanol

· **TSCA (Toxic Substances Control Act):**

2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane

919-30-2 3-aminopropyltriethoxysilane

67-56-1 methanol

64-17-5 ethanol

· **Proposition 65**

· **Chemicals known to cause cancer:**

28064-14-4 BISPENOL F EPOXY RESIN

25085-99-8 BISPENOL A EPOXY RESIN

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

· **Carcinogeny categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethanol

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

(Contd. on page 8)

Trade name: 68442 Mini-Max Clear Fast Set Adhesive

(Contd. of page 7)

· **Product related hazard informations:**

The product has been classified and marked in accordance with directives on hazardous materials.

· **Hazard symbols:**

Corrosive

· **Hazard-determining components of labelling:**

BISPHENOL F EPOXY RESIN

BISPHENOL A EPOXY RESIN

TERTIARY AMINE

POLYAMINE POLYMERCAPTAN EPOXY HARDENER

· **Risk phrases:**

Harmful by inhalation and in contact with skin.

Causes burns.

Irritating to respiratory system.

May cause sensitisation by skin contact.

· **Safety phrases:**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

This material and its container must be disposed of as hazardous waste.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Environment protection department.

· **Contact:** Steve Gaver

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Reglement internationale concernent le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)