

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 08-02-2016

Revision Number 5



SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	100714 Feather Fill G2 Black
1.2 Relevant identified uses of the substance or mixture and uses advised against	Automotive repair
1.3 Details of the supplier of the safety data sheet	ITW Evercoat a division of Illinois Tool Works Inc. 6600 Cornell Road Cincinnati, OH 45242 513-489-7600
1.4 Emergency telephone number	CHEM TEL: +1-813-248-0591

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture

Classified in accordance to (EC) No. 1272/2008	Flammable Liquid Category 2 Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 2
--	---

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapour.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.

Precautionary Statements

P233 - Keep container tightly closed.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 08-02-2016

Revision Number 5

rinsing.

P403+P235 - Store in a well-ventilated place. Keep cool.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P240 - Ground/bond container and receiving equipment.

Supplemental Hazard information (EU)

No data available

2.3 Other hazards

No data available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical Name	%	CAS #	(EC) No 1272/2008	M Factor	SCL
Styrene	25.8	100-42-5	Acute Tox. 4; H332 Acute Tox. 4; H332 Acute Tox. 4; H332 Eye Irrit. 2; H319 Flam. Liq. 3; H226 Skin Irrit. 2; H315	No data available	No data available
Acetone	14.79	67-64-1	Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H335, H336 EUH066	No data available	No data available

For full text of H-statements; See Section 16

SECTION 4 First aid measures

4.1 Description of first aid measures

Inhalation

Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately. Get medical attention immediately. Keep the victim warm and quiet. If the victim has stopped breathing open airway, loosen collar and belt, and administer artificial respiration. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice.

Eye Contact

Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention. No data available

Skin Contact

Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists. Remove contaminated clothing and continue flushing with water. Seek medical advice if symptoms persist Wash clothing before reuse.

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 08-02-2016

Revision Number 5

Ingestion Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Do not induce vomiting unless directed to do so by medical personnel.

Self protection of the first aider No data available

4.2 Most important symptoms and effects, both acute and delayed

Symptom See Section 4.1

4.3 Indication of any immediate medical attention and special treatment needed

Note to Doctor No additional first aid information available

SECTION 5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing agents. Water spray or fog may also be effective for extinguishing if swept across the base of the fire. Water can also be used to absorb heat and keep exposed material from being damaged by fire. Carbon dioxide Dry chemical

Unsuitable extinguishing media No data available

5.2 Special hazards arising from the substance or mixture

Fire and/or Explosion Hazards Vapors may be ignited by heat, sparks, flames or other sources of ignition at or above the low flash point giving rise to a Class B fire. Vapors are heavier than air and may travel to a source of ignition and flash back

Hazardous Combustion Products Carbon dioxide, Carbon monoxide, Hydrocarbons

5.3 Advice for firefighters

Fire Fighting Methods and Protection Do not enter fire area without proper protection including self-contained toxic breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface. Use water spray/fog for cooling. Flammable component(s) of this material may be lighter than water and burn while floating on the surface.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For Non-emergency Personnel Non-emergency personnel should be kept clear of the area.

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 08-02-2016

Revision Number 5

For emergency responders

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

6.2 Environmental precautions

No data available

6.3 Methods and material for containment and cleaning up

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section VIII at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.

6.4 Reference to other sections

Refer to section 13 for disposal information.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Do not get in eyes, on skin and clothing Wash hands before eating Use with adequate ventilation Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Store in a cool dry place Keep away from heat, sparks, and flame Store in a tightly closed container

7.3 Specific end use(s)

Automotive repair

SECTION 8 Exposure controls/personal protection

Occupational Exposure limit values

Chemical Name	ACGIH TLV-TWA	ACGIH STEL	IDLH
Styrene	20 ppm	40 ppm STEL; 170 mg/m3 STEL	No data available
Acetone	500 ppm	750 ppm	No data available

8.2 Exposure controls

Appropriate engineering controls

No exposure limits exist for the constituents of this product. Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment

Eye and face protection

Wear chemically resistant safety glasses with side shields when

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 08-02-2016

Revision Number 5

handling this product. Do not wear contact lenses. Splash proof chemical goggles are recommended to protect against the splash of product.

Skin Protection

Hand protection

Nitrile Neoprene

Other skin protection

Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Protective gloves and proper clothing should be worn to prevent skin contact. Gloves should be made of neoprene or natural rubber. To prevent repeated or prolonged skin contact, wear impervious clothing and boots.

Respiratory Protection

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Use a NIOSH approved respirator designed to remove particulate matter and organic solvent vapors.

Respirator Type(s)

NIOSH approved air purifying respirator with organic vapor cartridge and HEPA filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres.

Thermal hazards

No data available

Environmental exposure controls

No data available

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Colour	Black
Odour	Aromatic
Odour Threshold	No data available
pH	Neutral
Melting point / Freezing point (°C)	-25
Initial boiling point and boiling range (°C)	56
Flash Point (°C)	-17
Evaporation Rate	No data available
Flammability (Solid, gas)	No data available
Upper/lower flammability or explosive limits	
Upper Flammable/Explosive Limit, % in air	12.8
Lower Flammable/Explosive	1

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 08-02-2016

Revision Number 5

Limit, % in air	
Vapour Pressure	180 mmHg @ 68 °F / 20 °C
Vapour Density	Heavier than air. Vapors that evolve from this product will tend to settle and accumulate near the floor.
Relative Density	1.36
Solubility(ies)	Complete; 100% Negligible; 0-1%
Partition coefficient: n-octanol/water	1.36
Autoignition Temperature (°C)	420
Decomposition Temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available
9.2 Other information	No data available

SECTION 10 Stability and reactivity

10.1 Reactivity	No data available
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	No data available
10.4 Conditions to avoid	No data available
10.5 Incompatible materials	Peroxides; Strong acids; Strong oxidizing agents; Strong alkalies
10.6 Hazardous decomposition products	Carbon dioxide Carbon monoxide Hydrocarbons

SECTION 11 Toxicological information

11.1 Information on toxicological effects

Acute Toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

pH	Neutral
----	---------

Classification is based on pH and the components listed in Section 3.

Serious eye damage/irritation

pH	Neutral
----	---------

Classification is based on pH and the components listed in Section 3.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 08-02-2016

Revision Number 5

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12 Ecological information

12.1 Toxicity No data available

Ecotoxicity Data

Chemical Name	CAS Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

12.2 Persistence and degradability No data available

12.3 Bioaccumulative potential No data

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment No data available

12.6 Other adverse effects No data available

12.7 Additional information No data available

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Waste Description for Spent Product Spent or discarded material is a hazardous waste.

Disposal Methods Dispose of by incineration following Federal, State, Local, or Provincial regulations.

Waste Disposal Code(s) W080111

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 08-02-2016

Revision Number 5

(European Waste Catalogue)

SECTION 14 Transport information

Ground:

14.1 UN number: UN3269
14.2 UN proper shipping name: POLYESTER RESIN KIT
14.3 Transport hazard class(es): 3
14.4 Packing group: III
Exemptions: Limited Quantity

Air:

14.1 UN number: UN3269
14.2 UN proper shipping name: POLYESTER RESIN KIT
14.3 Transport hazard class(es): 3
14.4 Packing group: III

Water:

14.1 UN number: UN3269
14.2 UN proper shipping name: POLYESTER RESIN KIT
14.3 Transport hazard class(es): 3
14.4 Packing group: III
Exemptions: Limited Quantity

14.5 Environmental hazards: No
14.6 Special precautions for user: No data available
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: No data available

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	EINECS	SVHC
Styrene	Y	N
Acetone	Y	N
2,6 di-tert-butyl-alpha-dimethylamino-p-cresol	Y	N
Aliphatic Hydrocarbons (stoddard type)	Y	N
Styrene Oxide	Y	N
N-Nitrosodimethylamine	Y	N
Ethylene oxide	Y	N

15.2 Chemical safety assessment No data available

SECTION 16 Other information

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 08-02-2016

Revision Number 5

SDS Abbreviations: No data available

References: No data available

**Hazard phrase(s)
referenced in section 3**

H220 - Extremely flammable gas.
H224 - Extremely flammable liquid and vapour.
H225 - Highly flammable liquid and vapour.
H226 - Flammable liquid and vapour.
H280 - Contains gas under pressure; may explode if heated.
H301 - Toxic if swallowed.
H302 - Harmful if swallowed.
H304 - May be fatal if swallowed and enters airways.
H312 - Harmful in contact with skin.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H330 - Fatal if inhaled.
H331 - Toxic if inhaled.
H332 - Harmful if inhaled.
H336 - May cause drowsiness or dizziness.
H340 - May cause genetic defects..
H350 - May cause cancer.
H372 - Causes damage to organs through prolonged or repeated exposure.
H411 - Toxic to aquatic life with long lasting effects.

**Precautionary
Statements**

Prevention

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P233 - Keep container tightly closed.
P240 - Ground/bond container and receiving equipment.
P241 - Use explosion-proof electrical/ventilating/lighting equipment.
P242 - Use only non-sparking tools.
P243 - Take precautionary measures against static discharge.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P264 - Wash thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P273 - Avoid release to the environment.

Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 08-02-2016

Revision Number 5

Response	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
	P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P307+P311 - IF exposed: Call a POISON CENTER or doctor/physician.
	P308+P313 - IF exposed or concerned: Get medical advice/attention.
	P314 - Get medical advice/attention if you feel unwell.
	P321 - Specific treatment (see on this label).
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Storage	P370+P378 - In case of fire: Use for extinction.
	P233 - Keep container tightly closed.
	P403+P235 - Store in a well-ventilated place. Keep cool.
Disposal	P405 - Store locked up.
	P501 - Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances