1. F	PRODUCT AND COMPANY			
Product Name: Company Name:	Bulldog Abrasive Prep & Clean W. M. Barr 2105 Channel Avenue Memphis, TN 38113	<b>Phone Number:</b> (901)775-0100		
Web site address:	www.wmbarr.com			
Emergency Contact: Information:	3E 24 Hour Emergency Contact W.M. Barr Customer Service	(800)451-8346 (800)398-3892		
Intended Use:	Paint adhesion.			
Synonyms:	EPC535, PPC535			
Additional Information	This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.			
	2. HAZARDS IDENTIFI			
GHS Signal Word:	Warning			
GHS Hazard Phrases:	H335: May cause respiratory irritation.			
GHS Precaution Phrases:	P261: Avoid breathing gas/mist/vapors/spray. P271: Use only outdoors or in a well-ventilated area.			
GHS Response Phrases:	P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.			
CHC Starage and Dianagel	P312: Call a POISON CENTER or doc P403+233: Store container tightly close			
GHS Storage and Disposal Phrases:	P405: Store locked up.	ccording to local, state and federal regulations.		
Hazard Rating System:	HEALTH1FLAMMABILITY0PHYSICAL0PPEX			
	This material is classified as hazardous			
OSHA Regulatory Status: Potential Health Effects	This material is classified as hazardous EYES:			
(Acute and Chronic):		contact, causing reddening, possible blurred		
	SKIN: Mild irritant, possibly causing surface in contact.	flammation with redness, especially on prolonge		
		act. May produce symptoms of central nervous e, dizziness, nausea, loss of balance, and		
Licensed to W.M. Barr and Company:	MIRS MSDS, (c) A V Systems, Inc.	GHS form		

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

GHS format

#### drowsiness.

INGESTION: Extremely large oral doses may produce gastrointestinal disturbances, irritation, nausea, vomiting, and diarrhea.

CHRONIC OVEREXPOSURE EFFECTS: None known.

TARGET ORGANS: Eyes, skin, respiratory system

PRIMARY ROUTES OF ENTRY: Inhalation, skin, ingestion

Medical Conditions Generally None known.

Aggravated By Exposure:

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration	RTECS #
61790-24-7	Fatty acids, soya, potassium salts	3.0 -7.0 %	NA
98-56-6	4-Chlorobenzotrifluoride {4-Chloroalpha.,.alpha.,.alphatrifluorotoluene}	1.0 -5.0 %	XS9145000
68439-45-2	Ethoxylated alcohol	0.5 -1.5 %	NA

# Additional Chemical

Specific percentage of composition is being withheld as a trade secret.

Information

#### 4. FIRST AID MEASURES

Emergency and First Aid Procedures:	Skin: Immediately begin washing the skin thoroughly with large amounts of water and mild soap, if available, while removing contaminated clothing. Seek medical attention if irritation persists.
	Eyes: Immediately begin to flush eyes with water, remove any contact lens. Continue to flush the eyes for at least 15 minutes, then seek immediate medical attention.
	Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.
	Ingestion: If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician, hospital emergency room, or poison control center immediately. Never give anything by mouth to an unconscious person.
Signs and Symptoms Of Exposure:	See Potential Health Effects.
Note to Physician:	Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

		· · · · · · · · · · · · · · · · · · ·	
	5. FIRE F	IGHTING MEASURES	
Flash Pt:	No data.		
Explosive Limits:	LEL: No data.	UEL: No data.	
Autoignition Pt:	No data.		
Suitable Extinguishing Media	a:Non-combustible liq	uid - use extinguishing media for underlying cause of fire.	
Unsuitable Extinguishing Media:	None known.		
Fire Fighting Instructions:	Self-contained respiratory protection should be provided for fire fighters fighting fires in buildings or confined areas. Non-combustible material.		
Flammable Properties and Hazards:	Flashpoint: No flash Setaflash Closed Cu	n to boiling. This material does not exhibit a flashpoint per the up test method.	
	6. ACCIDENT	AL RELEASE MEASURES	
Steps To Be Taken In Case Material Is Released Or Spilled:	spilled material. We waterways, sewers,	te area. Prevent unauthorized entry. Do not touch or walk through ear appropriate PPE to prevent skin contact. Prevent entry into or confined areas. Absorb or cover with dry earth, sand, or other aterial and transfer to compatible containers for disposal.	
	7. HAND	LING AND STORAGE	
Precautions To Be Taken in Handling:	container retains res	utions and directions on product label before use. Since empty bidue, follow all label warnings even after container is empty. Intainer according to all regulations. Do not reuse this container.	
	A source of clean water and skin if con	ater should be available in or near the work area for flushing of the tact occurs.	
Precautions To Be Taken in Storing:		ly closed when not in use. Store in a cool, dry place. Do not store evated temperatures.	
8. EXP	<b>OSURE CONT</b>	ROLS/PERSONAL PROTECTION	

CAS #	Partial Chemical Name		OSHA TWA	ACGIH TWA	Other Limits
61790-24-7	Fatty acids, soya, potassium salts		No data.	No data.	No data.
98-56-6	4-Chlorobenzotrifluoride {4-Chloroalpha.,.alpha.,.alphatrifluor otoluene}		No data.	No data.	No data.
68439-45-2	Ethoxylated alcoh	ol	No data.	No data.	No data.
Respiratory E (Specify Type		respiratory protection For use in areas with properly fitted NIOS	consumer following direction on should not be needed. th inadequate ventilation of GH approved respirator for of ed work places and other re	fresh air, wear a properly organic solvent vapors.	maintained and
		ventilation under er appropriate TLV.	ngineered air control system	ns designed to prevent ex	•
Licensed to W.M.	Barr and Company:	MIRS MSDS, (c) A V Sys	stems, Inc.		GHS format

Eye Protection: Protective Gloves:	Safety glasses should be worn during normal handling of this material. Wear gloves with as much resistance to the chemical ingredients as possible. Glove		
Protective Gloves:			
	materials such as nitrile rubber may provide protection. Glove selection should be based on chemicals being used and conditions of use. Consult your glove supplier for additional information. Gloves contaminated with product should be discarded and not reused.		
Other Protective Clothing:	Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure.		
Engineering Controls (Ventilation etc.):	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.		
	Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas where vapors can accumulate and concentrate, such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering STOP ventilation is inadequate. Leave area immediately and move to fresh air.		
Work/Hygienic/Maintenance Practices:	Wash hands thoroughly after use and before eating, drinking, or smoking. Do not eat, drink, or smoke in the work area.		
	Discard any clothing or other protective equipment that cannot be decontaminated.		
	Facilities storing or handling this material should be equipped with an emergency eyewash and safety shower.		
9.	PHYSICAL AND CHEMICAL PROPERTIES		
Physical States:	[]Gas [X]Liquid []Solid		
Appearance and Odor:	Paste, grey color, abrasive.		
Melting Point:	No data.		
Boiling Point:	No data.		
Autoignition Pt:	No data.		
Flash Pt:	No data.		
Explosive Limits:	LEL: No data. UEL: No data.		
Specific Gravity (Water = 1):	1.174		
Density:	9.76 LB/GL		
Vapor Pressure (vs. Air or mm Hg):	No data.		
Vapor Density (vs. Air = 1):	> 1		
	. 1		
Evaporation Rate:	< 1		

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

Avoid:	7.4 - 8.4 No data. 25.0000 G/L <b>10. STABILITY AND</b> Unstable [] Stable [X] No data available. Aluminum, perchloric acid, strong bases Carbon monoxide, carbon dioxide Will occur [] Will not occur No data available.	g oxidizers, inor e		halogens, str	ong acids an
VOC / Volume: Stability: Conditions To Avoid - Instability: Incompatibility - Materials To Avoid: Hazardous Decomposition Or Byproducts: Possibility of Hazardous Reactions: Conditions To Avoid -	25.0000 G/L <b>10. STABILITY AND</b> Unstable [ ] Stable [ X ] No data available. Aluminum, perchloric acid, strong bases Carbon monoxide, carbon dioxide Will occur [ ] Will not occur	g oxidizers, inor e		halogens, str	ong acids an
Stability: Conditions To Avoid - Instability: Incompatibility - Materials To Avoid: Hazardous Decomposition Or Byproducts: Possibility of Hazardous Reactions: Conditions To Avoid -	<b>10. STABILITY AND</b> Unstable [] Stable [X]   No data available.   Aluminum, perchloric acid, strong bases   Carbon monoxide, carbon dioxide   Will occur [] Will not occur	g oxidizers, inor e		halogens, str	ong acids an
Conditions To Avoid - Instability: Incompatibility - Materials To Avoid: Hazardous Decomposition Or Byproducts: Possibility of Hazardous Reactions: Conditions To Avoid -	Unstable [ ] Stable [ X ] No data available. Aluminum, perchloric acid, strong bases Carbon monoxide, carbon dioxide Will occur [ ] Will not occur	g oxidizers, inor e		halogens, str	ong acids an
Conditions To Avoid - Instability: Incompatibility - Materials To Avoid: Hazardous Decomposition Or Byproducts: Possibility of Hazardous Reactions: Conditions To Avoid -	No data available. Aluminum, perchloric acid, strong bases Carbon monoxide, carbon dioxide Will occur [ ] Will not occur	e	ganic acids,	halogens, str	ong acids an
Incompatibility - Materials To Avoid: Hazardous Decomposition Or Byproducts: Possibility of Hazardous Reactions: Conditions To Avoid -	bases Carbon monoxide, carbon dioxide Will occur [ ] Will not occur	e	ganic acids,	halogens, str	ong acids an
Hazardous Decomposition Or Byproducts: Possibility of Hazardous Reactions: Conditions To Avoid -	Will occur [ ] Will not occur				
Reactions: Conditions To Avoid -		[X]			
	No data available.				
	11. TOXICOLOGICAL	INFORMA	TION		
Toxicological Information:	This product has not been tested health effects.	as a whole. Re	efer to sectio	n 2 for acute a	and chronic
CAS # Hazardous Com	ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
61790-24-7 Fatty acids, soya,	n.a.	n.a.	n.a.	n.a.	
98-56-6 4-Chlorobenzotrif {4-Chloroalpha.,	n.a.	n.a.	n.a.	n.a.	
68439-45-2 Ethoxylated alcoh	n.a.	n.a.	n.a.	n.a.	
	12. ECOLOGICAL IN	NFORMAT	ION		
General Ecological Information:	This product has not been tested	as a whole.			
	13. DISPOSAL CON	SIDERATI	ONS		
Waste Disposal Method:	Dispose of in accordance with loo	cal, state, and f	ederal laws.		
	Do not place material in general t	trash.			
	Do not allow material to enter boo	dies of water or	sewers.		
	14. TRANSPORT IN	IFORMATI	ON		

		15. REG	ULATOR	Y INFORMA	TION		
EPA SARA (S	uperfund Amendn	nents and Reautho	orization Act o	of 1986) Lists			
CAS #	Hazardous Com	ponents (Chemic	al Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
61790-24-7	Fatty acids, soya	, potassium salts		No	No	No	
98-56-6	4-Chlorobenzotri {4-Chloroalpha.	fluoride ,,alpha.,.alphatrifl	uorotoluene}	No	No	No	
68439-45-2	Ethoxylated alco	hol		No	No	No	
'Hazard Cate	I meets the EPA gories' defined le III Sections idicated:	[ ] Yes [X] No [ ] Yes [X] No	Chronic (de Fire Hazard Sudden Rel	layed) Health Ha	zard		
CAS #	Hazardous Com	ponents (Chemic	al Name)	Other US EPA o	r State Lists		
61790-24-7	Fatty acids, soya	, potassium salts		CAA HAP,ODC: Inventory; CA P	No; CWA NPDES: ROP.65: No	No; TSCA: Yes -	
98-56-6	4-Chlorobenzotri {4-Chloroalpha.	fluoride .,.alpha.,.alphatrifl	uorotoluene}		No; CWA NPDES: ; CA PROP.65: No		
68439-45-2	Ethoxylated alco	hol		CAA HAP,ODC: Inventory; CA P	No; CWA NPDES: ROP.65: No	No; TSCA: Yes -	

## **16. OTHER INFORMATION**

Revision Date:	05/05/2015
Preparer Name:	W.M. Barr EHS Dept (901)775-0100
Additional Information About	No data available.
This Product:	
Company Policy or Disclaimer:	The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.