



Reviewed on 06/28/2017

# **1** Identification

- · Product identifier
- · Trade name: 61113 Multimax Chassis Gray
- Article number: 61113
- · Application of the substance / the mixture Coating
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: SEM Products Inc. 1685 Overview Drive Rock Hill, SC 29730 803 207 8225

· Information department:

cust\_care@semproducts.com : SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 : phone 1-800-831-1122, M - TH 7am - 4pm EDT

• Emergency telephone number: CHEMTREC 1-800-424-9300

## 2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 GHS04 Flame, Gas cylinder

Flam. Aerosol 1 H222 Extremely flammable aerosol.

GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.

GHS08 Health hazard

Muta. 1BH340 May cause genetic defects.Carc. 1BH350 May cause cancer.

GHS07

Eye Irrit. 2AH319 Causes serious eye irritation.STOT SE 3H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



(Contd. on page 2)

USA

Printing date 03/14/2018

Safety Data Sheet acc. to OSHA HCS



Page 2/11

Reviewed on 06/28/2017

# Trade name: 61113 Multimax Chassis Gray

Signal word Da	(Contd. of page
	ining components of labeling:
	(petroleum), light aliph.
acetone	
toluene	
Ligroine	
Hazard stateme	nto
	nis pflammable aerosol.
	gas under pressure; may explode if heated.
	rious eye irritation.
	e genetic defects.
H350 May caus	
	e drowsiness or dizziness.
Precautionary s	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Pressurized container: Do not pierce or burn, even after use.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P.	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres
	and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P501	Dispose of contents/container in accordance with local/regional/national/internation
	regulations.
Classification s	
NFPÅ ratings (	
▲ · ·	
	lealth = 2
	ire = 4
	eactivity = 3
HMIS-ratings (	$s_{calo} 0 - 4$
	Health = 2
and the second	Fire = 4
REACTIVITY 3	Reactivity = 3
Other hazards	
	and vPvB assessment
PBT: Not applie	
	(Contd. on page

(Contd. on page 3) USA

Printing date 03/14/2018

Reviewed on 06/28/2017

Trade name: 61113 Multimax Chassis Gray

· vPvB: Not applicable.

(Contd. of page 2)

## **3** Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

*Mixture: consisting of the following components. Weight percentages* 

· Dangerous components: Void

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
   Indication of any immediate medical attention and special treatment needed
   No further relevant information quailable.
- No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures


- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- PAC-1:

None of the ingredients is listed.

(Contd. on page 4)

US A

Page 3/11



SEM

(Contd. of page 3)

Reviewed on 06/28/2017

### Trade name: 61113 Multimax Chassis Gray

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

# 7 Handling and storage

### · Handling:

• **Precautions for safe handling** No special measures required.

*Ensure good ventilation/exhaustion at the workplace.* 

- Open and handle receptacle with care.
- Information about protection against explosions and fires: Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke. Keep respiratory protective device available.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· Conditions for safe storage, including any incompatibilities

· Storage:

- **Requirements to be met by storerooms and receptacles:** Observe official regulations on storing packagings with pressurized containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

### · Control parameters

- Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

USA –



SEM

(Contd. of page 4)

Reviewed on 06/28/2017

### Trade name: 61113 Multimax Chassis Gray

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **Eye protection:** Safety glasses



\*

Tightly sealed goggles

· Information on basic physical and	chemical properties
· General Information	
· Appearance:	
Form:	Aerosol
Color:	Grey
• Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	55 °C
· Flash point:	-103 °C
· Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	465 °C
• Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
· Explosion limits:	
Lower:	1.8 Vol %
Upper:	13 Vol %

Printing date 03/14/2018

Reviewed on 06/28/2017

#### Trade name: 61113 Multimax Chassis Gray

	(Con	td. of page
• Vapor pressure at 20 •C:	233 hPa	
Density at 20 °C:	0.7518 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapor density	Not determined.	
· Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gl	
Solids content:	20.4 %	

### **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Irritant* 

The product can cause inheritable damage.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)


None of the ingredients is listed.

### · NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

Page 6/11



SEM

Page 7/11

Reviewed on 06/28/2017

Trade name: 61113 Multimax Chassis Gray

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- $\cdot$  Mobility in soil No further relevant information available.
- $\cdot$  Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, ADR, IMDG, IATA	UN1950	
· UN proper shipping name		
DOT	Aerosols, flammable	
ADR	1950 Aerosols	
·IMDG	AEROSOLS	
· IATA	AEROSOLS, flammable	
• Transport hazard class(es)		
DOT		
A.		
· Class	2.1	



Printing date 03/14/2018

Trade name: 61113 Multimax Chassis Gray

Label	2.1
ADR	
Class	2 5F Gases
Label	2.1
IMDG, IATA	
Class	2.1
Label	2.1
Packing group DOT, ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user EMS Number:	Warning: Gases
EMS Number: Stowage Code	F-D,S-U SW1 Protected from sources of heat.
Segregation Code	<ul> <li>SW22 For AEROSOLS with a maximum capacity of 1 lith Category A. For AEROSOLS with a capacity above 1 lith Category B. For WASTE AEROSOLS: Category C, Clear of livin quarters.</li> <li>SG69 For AEROSOLS with a maximum capacity of 1 lith Segregation as for class 9. Stow "separated from" class 1 except division 1.4. For AEROSOLS with a capacity above 1 lith Segregation as for the appropriate subdivision of class 2. F WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.</li> </ul>
Transport in bulk according to Annex A MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
ADR	
Excepted quantities (EQ)	<i>Code: E0</i> <i>Not permitted as Excepted Quantity</i>
IMDG	· · · · · · · · · · · · · · · · · · ·
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E0
	Not permitted as Excepted Quantity



Printing date 03/14/2018

### Reviewed on 06/28/2017

Page 9/11

(Contd. of page 8)

Trade name: 61113 Multimax Chassis Gray

· UN ''Model Regulation'':

UN 1950 AEROSOLS, 2.1

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Hazard-determining components of labeling: Solvent naphtha (petroleum), light aliph. acetone toluene Ligroine
Hazard statements H222 Extremely flammable aerosol.

(Contd. on page 10)

Page 10/11

Safety Data Sheet acc. to OSHA HCS

Printing date 03/14/2018

Reviewed on 06/28/2017

#### Trade name: 61113 Multimax Chassis Gray

	(Contd. of page 9)			
H280 Contains ga	s under pressure; may explode if heated.			
H319 Causes serie	pus eye irritation.			
H340 May cause g	genetic defects.			
H350 May cause c	rancer.			
H336 May cause a	Irowsiness or dizziness.			
· Precautionary sta	tements			
P201	Obtain special instructions before use.			
P202	Do not handle until all safety precautions have been read and understood.			
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.			
P211	Do not spray on an open flame or other ignition source.			
P251	Pressurized container: Do not pierce or burn, even after use.			
P261	Avoid breathing dust/fume/gas/mist/vapors/spray			
P264	Wash thoroughly after handling.			
P271	Use only outdoors or in a well-ventilated area.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
P305+P351+P33	8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P308+P313	IF exposed or concerned: Get medical advice/attention.			
P312	Call a poison center/doctor if you feel unwell.			
P337+P313	If eye irritation persists: Get medical advice/attention.			
P403+P233	Store in a well-ventilated place. Keep container tightly closed.			
P405	Store locked up.			
P410+P403	Protect from sunlight. Store in a well-ventilated place.			
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.			
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.			
National menulations.				

· National regulations:

· Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

- Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Rita Joiner (rjoiner@semproducts.com)
- · Date of preparation / last revision 03/14/2018 / 13
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)



SEM

Page 11/11

USA

Reviewed on 06/28/2017

# Trade name: 61113 Multimax Chassis Gray

	(Contd. of page 10)
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Aerosol 1: Aerosols – Category 1	
Press. Gas: Gases under pressure – Compressed gas	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Muta. 1B: Germ cell mutagenicity – Category 1B	
Carc. 1B: Carcinogenicity – Category 1B	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
• * Data compared to the previous version altered.	
Dura comparea to me previous version anerea	