




M style  
ARO style  
Hi Flow style  
T style  
**UNIVERSAL**



95% of couplers  
in our Industry  
**UNIVERSAL**

**PATENTED**

### BUILT-IN REGULATOR

Regulator the flow of  
Air up to 85CFM with  
the hi flow fitting

<http://www.buzzblock.com/>

**Universal - Built-in  
Regulator  
- Pressure Release**



**NEW & IMPROVED**  
Now with metal inner parts

### SAFETY LOCK

will not release the  
fitting until you  
unlock it.

**2640**

**1/4 NPT**



**Made in Italy**

### PRESSURE RELEASE VALVE

Cut off air pressure at  
the tool side when you  
release the lock.

### UNIVERSAL QUICK COUPLER WITH SAFETY LOCK, AIR FLOW REGULATOR AND PRESSURE RELEASE

- Built- in Air Flow Regulator
- Rotate ring to regulate air
- Works with many different nipple types
- Rotate ring from zero to "Lock" to release downstream pressure

[www.Astrotools.com](http://www.Astrotools.com)

**Model # 2640**

**UNI  
EN  
983**




**ISO 6150 B PROFILE**

**ARO 210 PROFILE**

**GERMAN PROFILE**

**ITALIAN PROFILE**

**US PROFILE**



**AIR TOOLS & ACCESSORIES**

**Universal Quick Coupler with Safety Lock, Air Regulator and Pressure Release with Metal Internal Parts**

**Astro  
Pneumatic**



**SALES AND MARKETING**

401 S. PARK AVENUE  
MONTEBELLO, CA 90640  
(800) 221-9705

Phone: (323) 510-2950 • Fax: (323) 887-1958

**WAREHOUSE AND OPERATIONS**

372 OLD US HIGHWAY 52 SOUTH  
MT. AIRY, NC 27030  
(800) 221-9705

Phone: (336) 786-6432 • Fax: (336) 786-4992

E-mail : [astrotools@astrotools.com](mailto:astrotools@astrotools.com)

WEBSITE : [www.astrotools.com](http://www.astrotools.com)

# OPERATING PROCEDURE

## Model # 2640



1°

Coupler not in use (blocked)



2°

Fitting of the nipple and automatic hooking



3°

Rotation of the ring from the "Lock" position to Zero (the nipple is blocked)

4°

Rotation of the ring from Zero to the maximum opening to progressively regulate the air flow



5°

Rotation of the ring from the maximum opening to Zero to close the air flow.



6°

Rotation of the ring from Zero to the "Lock" position to release the downstream pressure



7°

Unhook the nipple by pulling the sleeve



**SALES AND MARKETING**  
401 S. PARK AVENUE  
MONTEBELLO, CA 90640  
(800) 221-9705  
Phone: (323) 510-2950 • Fax: (323) 887-1958

**WAREHOUSE AND OPERATIONS**  
372 OLD US HIGHWAY 52 SOUTH  
MT. AIRY, NC 27030  
(800) 221-9705  
Phone: (336) 786-6432 • Fax: (336) 786-4992

E-mail : [astrotools@astrotools.com](mailto:astrotools@astrotools.com)

WEBSITE : [www.astrotools.com](http://www.astrotools.com)